



Report No.: TSZ25C6062A08-01

材料安全数据表

Material Safety Data Sheet

本 报 告 本 年 度 有 效 有效期至 2025 年 12 月 31 日

样品名称: 锂聚合物电池

Sample name: Lipo Battery

样品型号:

44.4V 30000mAh 12s 15C

Sample model:

委托单位: 深圳市朗诺实业有限公司

Applicant: Infotek Elektronik A.S

签发时间 Date of issue: 2025.03.17

Written by Approved by 段72 涛

深圳天溯计量检测股份有限公司

Shenzhen Tiansu Calibration and Testing Co., Ltd.





Page 2 / 11 Pages

Report No.: TSZ25C6062A08-01

* The MSDS is prepared based on the information provided by client. The contents and formats of this MSDS are revised as per client's request. 这份材料安全数据表是根据客户提供的信息编辑,其内容和格式按客户要求来修订。

as per client's request. 应用相对文生数据农产低语各广提供的自志编档,共自各种借式设备广安水本修订。				
第一部分-化学品及企业标识				
Section 1 -Chemical Product and Company Identification				
产品名称	锂聚合物电池			
Product Name	Lipo Battery			
	44.4V 30000mAh 12s 15C			
	37V 8500mAh 40C - 10s 37V 10000mAh 40C - 10s			
型号	37V 22000mAh 40C - 10s 44.4V 10000mAh 60C - 12s			
Model	44.4V 16000mAh 40C - 12s 44.4V 22000mAh 40C - 12s			
	44.4V 30000mAh 12s 15C 11.1V 1200mAh 25c			
	11.1V 2000mAh 25c 7.6V 550mAh 80/160C			
商标	PROFUSE			
Trade Mark	ILFPO Dattery			
额定参数	44.4V /30000mAh/1332Wh			
Ratings	44.4 V / 30000111A11/ 1332 VVII			
重量	5150g			
Weight	3130g			
生产单位	东莞市诺信电子有限公司			
Manufacturer	Dongguan Nuoxin Electronics Co., Ltd			
生产单位地址	东莞市塘厦镇振兴围社区128工业区一街一号厂房B栋三楼			
Manufacturer	Building B, Building B, No. 1 Street, Zhenxingwei Community, Tangxia			
Address	Town, Dongguan City			
应急电话	0755-23015635			
Emergency Telephone	one 0733-23013033			
传真	0755-23015635			
Fax	0/00-20010000			

第二部分-成分信息

Section 2- Composition Information

化学成分	化学式	CAS号	重量含量(%)	
Chemical Composition	Chemical Formula	CAS No.	Weight (%)	
钴酸锂	LiCoO ₂	12190-79-3	15 - 40	
Lithium cobaltate		12190-79-3	15 - 40	
石墨	С	7782-42-5	10 - 30	
Graphite	C	1102-42-0	10 - 30	
六氟磷酸锂	LiPF ₆	21324-40-3	10 - 30	

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China

Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984



J3-2022-A01-0109



Page 3 / 11 Pages

	95 5	· · · · · · · · · · · · · · · · · · ·	1
Lithium			
hexafluorophosphate			
 铜箔			
Copper	Cu	7440-50-8	7-13
铝箔			
	Al	7429-90-5	5-10
Aluminium			
镍	Ni	7440-02-0	1-5
Nickel		7440 02 0	1.0
	第三部分	-危险性概述	
	Section 3- Haz	ards Identification	
 紧急情况概述	 不适用		
Emergency overview	N/A		
标签元素	1.47,7.		
Label elements:			
危险标签图	不适用		
Hazard pictogram(s)	Not Applicable		
提示语	不适用		
Signal word	Not Applicable		
危险声明	不适用		
Hazard statement(s)	Not Applicable		
预防声明			
Precautionary statemen	t(s):		
预防			
Prevention	Not Applicable		
反应	不适用		
Response	Not Applicable		
废弃处理 不适用			
Disposal Not Applicable			
环境危害 无相关信息			
Environmental hazards: No relevant information			
重要症状 Important symptoms	见第11部分更多信 Soo cootion 11 f	· 尽 For more information	
Important symptoms:			
	第四部分	}-急救措施	
	Section 4- First Aid Measures		
	万一接触, 立即用]大量的清水冲洗至少15分钟,	翻起上下眼睑, 直到化学的残
眼睛接触	留物消失为止, 赶		
Eye contact	·	plenty of water for least $15\ min$	nutes, occasionally lifting the
		eyelids. Get medical aid.	
		台的水冲洗至少15分钟,同时除	去污染的衣物和鞋子, 迅速就
皮肤接触	医。		
Skin contact		nated clothes and rinse skin v	vith plenty of water or shower
	for 15 minutes.	Get medical aid.	

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China

Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984





Page 4 / 11 Pages

吸入 Inhalation	立即从暴露处移至空气清新处,如果呼吸困难给予输氧,立即就医。 Remove from exposure and move to fresh air immediately. Use oxygen if	
	available.	
摄入	饮用两杯牛奶或水,如果当事人仍然清醒可以采取催吐的方法,并且立即就医。	
Ingestion	Give at least 2 glasses of milk or water. Induce vomiting unless patient is	
	unconscious. Call a physician.	

第五部分-消防措施

Section 5- Fire Fighting Measures

燃点	不适用	
Flash Point	N/A	
自燃温度	不适用	
Auto-Ignition Temperature	N/A	
灭火介质	碳氢表面活性剂, 二氧化碳	
Extinguishing Media	Hydrocarbon surfactant, CO ₂	
特殊灭火程序	自给式呼吸器	
Special Fire-Fighting Procedures	Self-contained breathing apparatus	
异常火灾或爆炸	当电芯暴露于过热的环境中时,安全阀可能会打开	
Unusual Fire and Explosion	Cell may vent when subjected to excessive heat-exposing battery contents	
Hazards	con may tom more carporate to encount mean expering rancely contents	
燃烧产生的危险物品	一氧化碳,二氧化碳,锂氧化物烟气	
Hazardous Combustion Products	Carbon monoxide, carbon dioxide, lithium oxide fumes.	

第六部分-泄露应急处理

Section 6- Accidental Release Measures

个人预防措施、保护设备和应急程序:

如果电池被泄露,让人员离开该区域直到烟雾消散。提供最大限度的通风,清除有害气体。首选的反应就是离开这个地区并消散气体,避免皮肤和眼睛接触或吸入气体。用吸收剂清除溢出的液体然后焚烧。如果电池泄漏发生时,液体可以用砂、泥土或其他惰性物质来吸收,污染区域应该保持通风。

Personal precautions, protective equipment and emergency procedures:

If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate, Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed by using sand, earth or other inert substance and contaminated area should be ventilated meantime.

环境预防措施:

不允许产品到达排水系统或任何水源。

如果渗透进排水系统或任何水源, 通知相应的部门。

不允许进入下水道/表面或地下水。

Environment precautions:

Do not allow product to reach sewage system or any water source.

Inform respective authorities in case of seepage into water course or sewage system.





Page 5 / 11 Pages

Report No.: TSZ25C6062A08-01

Do not allow to enter sewers/ surface or ground water.

抑制和清理材料的方法:

如果电池外壳被拆除,少量电解液可能会泄漏。收集所有材料放进一个塑料容器。根据当地的法律法规来处置,避免可溶物质进入大地、下水道或水源。

Methods and material for containment and cleaning up:

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules, Avoid leached substances to get into the earth, canalization or waters.

笛上	部分	_榀/	七小	垩	#H	4	右
	口1777	一/架/	FW.	目	Λ μ	旧石	1¥

Section 7- Handling and Storage		
	禁止打开、毁坏或焚烧电池,因为电池有可能在这些处理过程中发生爆炸、破裂或泄露等事故。	
	禁止将电池短路、过充、强制放电或扔入火中。	
	禁止挤压或刺穿电池,或将电池浸入溶液中。	
操作处置	The battery should not be opened, destroyed or incinerate, since they may	
Handling	leak or rupture and release to the environment the ingredients that they	
	contain in the hermetically sealed container.	
	Do not short circuit terminals, or over charge the battery, forced	
	over-discharge, throw to fire.	
	Do not crush or puncture the battery, or immerse in liquids.	
	禁止物理或电滥用,禁止高温储存,最好将电池储存在阴凉、干燥、通风及温	
	度变化较小的环境中。	
	禁止将电池接触加热设备,或将电池长时间直接暴露在阳光中。	
储存	Avoid mechanical or electrical abuse. Storage preferably in cool, dry and	
Storage	ventilated area, which is subject to little temperature change. Storage at	
	high temperatures should be avoided.	
	Do not place the battery near heating equipment, nor expose to direct	
	sunlight for long periods.	
	拆解、挤压、直接放入火中或高温条件下, 电池可能发生爆炸和燃烧。	
	禁止短接或将电池正负极错误的安装在设备中。	
其他要注意的防范措施 Other Precautions	The battery may explode or cause burns, if disassembled, crushed or	
Calci i recadions	exposed to fire or high temperatures. Do not short or install with incorrect	
	polarity.	

第八部分-接触控制和个体防护

Section 8- Exposure Controls/Personal Protection





Page 6 / 11 Pages

Report No.: TSZ25C6062A08-01

设计控制	设计局部排气通风或其它设计来控制粉尘、雾、烟雾和气体。		
	Use local exhaust ventilation or other engineering controls to control sources		
Engineering Controls	of dust, mist, fumes and vapor.		
	Keep away from heat and open flame. Store in a cool, dry place.		
	呼吸防护:在正常情况下不需要。		
	 皮肤和身体防护:在正常情况下不需要,如果处理一个裂开的或泄漏的电池需		
	要穿戴适当的防护服和手套。		
	手保护:如果处理一个裂开的或泄漏的电池需要戴适当手套。		
	 眼睛保护:在正常情况下不需要,如果处理一个裂开的或泄漏的电池需要戴上		
 个人防护装备	安全眼镜。		
T 入り 扩 衣 併 Personal Protective Equipment	Respiratory Protection: Not necessary under normal conditions.		
	Skin and body Protection: Not necessary under normal conditions, Wear		
	suitable protective clothing and gloves if handling an open or leaking battery.		
	Hand protection: Wear suitable gloves if handling an open or leaking battery.		
	Eye Protection: Not necessary under normal conditions, Wear safety		
	glasses if handling an open or leaking battery.		
11 2 22 12 21 7	在工作区域应该有一个立即可以使用的安全淋浴和喷水洗眼器。		
其它防护装备 Other Protective Equipment	Have a safety shower and eye wash fountain readily available in the		
Other Protective Equipment	immediate work area.		
│ │ 卫生措施	在工作区域不得进食,饮水或吸烟。		
Hygiene Measures	Do not eat, drink, or smoke in work area. Maintain good housekeeping.		
	第九部分-物理和化学特性		
Section 0-	Physical and Chemical Properties		
	-		
颜色 Color	黑色 Black		
气味	不适用		
Odour	Not Applicable		
酸碱度	不适用		
рН	Not Applicable		
熔点/凝固点	不适用		
Melting point/freezing point	Not Applicable		
沸点、沸点范围:	不适用		
Boiling Point and Boiling range	Not Applicable		
易燃度	不适用		
Flash Point	Not Applicable		





Page 7 / 11 Pages

Report No.: TSZ25C6062A08-01

	rage // iii ages			
自燃或爆炸的上、下极限	不适用			
Upper/lower flammability or	Not Applicable			
explosive limits	Not Applicable			
蒸汽压	不适用			
Vapor Pressure	Not Applicable			
蒸汽密度	不适用			
Vapor Density	Not Applicable			
相对密度	不适用			
Relative density	Not Applicable			
水溶性	不适用			
Solubility in Water	Not Applicable			
自燃温度	不适用			
Auto-ignition temperature	Not Applicable			
分解温度	不适用			
Decomposition temperature	Not Applicable			
蒸发速率	不适用			
Evaporation rate	Not Applicable			
易燃性(土壤、天然气)	不适用			
Flammability (soil, gas)	Not Applicable			
粘性	不适用			
Viscosity	Not Applicable			
	第十部分 稳定性和反应活性			
Soci	ion 10- Stability and reactivity			
Jeci	ion 10- Stability and reactivity			
稳定性	产品在第七部分所述的条件下稳定			
Stability	The product is stable under conditions described Section 7			
	加热 70°C 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路,长时间暴露在潮湿的条件下。			
应避免的条件				
Conditions to Avoid	Heat above 70°C or incinerate. Deform, Mutilate, Crush, Disassemble,			
	Overcharge, Short circuit, Expose over a long period to humid conditions.			
不兼容的材料	氧化剂,酸,碱。			
Incompatible Materials	Oxidizing agents, acid, base.			
Hazardous Decomposition	一氧化碳、二氧化碳、氧化锂烟雾。			
Products	Carbon monoxide, carbon dioxide, lithium oxide fumes.			
	不适用			
危险反应的可能性				
Possibility of Hazardous	Ssibility of Hazardous Not Applicable			





Page 8 / 11 Pages

Report No.: TSZ25C6062A08-01

Reaction	
	第十一部分-毒理学资料
Section	11 - Toxicological Information
刺激 Irritation	如果电芯的外壳受到机械、热或电的滥用到达一定程度,会发生刺激的风险。如果发生这种情况,可能会刺激皮肤、眼睛和呼吸道。 Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, irritation to the skin, eyes and respiratory tract may occur.
致过敏	不适用
Sensitization	Not Applicable
影响神经系统	不适用
Neurological Effects	Not Applicable
致畸	不适用
Teratogenicity	Not Applicable
再生毒性	不适用
Reproductive Toxicity	Not Applicable
诱变(遗传效应)	不适用
Mutagenicity (Genetic Effects)	Not Applicable
附带材料毒理性 Toxicologically Synergistic Materials	不适用 Not Applicable
	第十二部分-生态学资料
Secti	on 12- Ecological Information
生态毒性	不适用
Ecological Toxicity	Not Applicable
在土壤中的流动性	不适用
Mobility in soil	Not Applicable
持久性和分解性	不适用
Persistence and Degradability	Not Applicable
生物聚积	不适用





7ian Su	Report No.: TSZ25C6062A08-01 Page 9 / 11 Pages	
Bioaccumulation potential	Not Applicable	
	 不适用	
Other Adverse Effects	Not Applicable	
第十三部分-废弃处置		
Section 13- Disposal Considerations		
产品废弃处理建议	와 나 나 나 111 소. gy/ bg 기, 스타 소. 기, bg	
Product disposal	遵守当地、州和联邦法律和法规。 Observe local, state and federal laws and regulations.	
recommendation	observe local, state and receial laws and regulations.	
包装处理建议	废弃处理必须根据当地法规 Disposal must be made according to official regulations	
Packaging disposal		
recommendation		
第十四部分-运输信息		
Section 14 - Transport Information		
运输标签	锂电池标签	
	•	
运输标签	锂电池标签	
运输标签 Label for conveyance	锂电池标签 Lithium Battery Label	
运输标签 Label for conveyance UN 编号	锂电池标签 Lithium Battery Label UN 3480 或 UN 3481 UN 3480 or UN 3481	
运输标签 Label for conveyance UN 编号 UN Number	锂电池标签 Lithium Battery Label UN 3480 或 UN 3481	
运输标签 Label for conveyance UN 编号 UN Number 运输风险类别	锂电池标签 Lithium Battery Label UN 3480 或 UN 3481 UN 3480 or UN 3481	
运输标签 Label for conveyance UN 编号 UN Number 运输风险类别 Transport hazard class(es)	锂电池标签 Lithium Battery Label UN 3480 或 UN 3481 UN 3480 or UN 3481	
运输标签 Label for conveyance UN 编号 UN Number 运输风险类别 Transport hazard class(es) 包装等级	理电池标签 Lithium Battery Label UN 3480 或 UN 3481 UN 3480 or UN 3481 9 965 or 966 II	
运输标签 Label for conveyance UN 编号 UN Number 运输风险类别 Transport hazard class(es) 包装等级 Packing group	锂电池标签 Lithium Battery Label UN 3480 或 UN 3481 UN 3480 or UN 3481 9 965 or 966 II 967 —	
运输标签 Label for conveyance UN 编号 UN Number 运输风险类别 Transport hazard class(es) 包装等级 Packing group 海洋污染物	理电池标签 Lithium Battery Label UN 3480 或 UN 3481 UN 3480 or UN 3481 9 965 or 966 II 967 — 无污染	

锂离子电池和设备包装在一起(包括锂离子聚合物电池)

设备里内含锂离子电池(包括锂离子聚合物电池)

Lithium ion Batteries packed with equipment (Including lithium ion polymer

Lithium ion Batteries contained in equipments (Including lithium ion polymer

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China
Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984

batteries)

batteries)

联合国运输专用名称

UN Proper shipping name



Page 10 / 11 Pages

Report No.: TSZ25C6062A08-01

	Page 10 / 11 Pages
ICAO/IATA	可根据国际民用航空组织(ICAO), TI或国际航空协会(IATA) DGR 66 版本包装说明 965 第 IA 节规定或 966~967 第 I 节规定进行空运
	Can be shipped by air in accordance with international Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA) DGR 66^{th} Packing Instructions Section IA of 965 or Section I of $966\sim967$ appropriately.
IMDG CODE	《国际海运危险货物规则》(IMDG CODE)相关规定 IMDG CODE (Amdt 42-24) International Maritime Dangerous Goods Code IMDG CODE (Amdt 42-24)
ADR	《国际危险货物道路运输欧洲协定》(ADR)相关规定 European Agreement concerning the International Carriage of Dangerous Goods by Road

危险品规例规定,运输前,每一个电池设计须通过联合国试验和标准手册38.3节所载的测试。

Rail

The dangerous goods regulations require that each battery design be subject to tests contained in Section 38.3 of the UN Manual of Tests and Criteria prior to being offered for transport.

《国际危险货物铁路运输欧洲协定》(RID)相关规定

Regulations concerning the International Carriage of Dangerous Goods by

第十五部分 法规信息

Section 15- Regulatory information

法律信息

RID

Law information

《危险物品规则》

《Dangerous Goods Regulations》

《对危险货物运输的有关规定的建议》

《Recommendation on the Transport of Dangerous Goods Model Regulations》

《国际海运危险货物规则》

《International Maritime Dangerous Goods》

《危险品安全运输技术指令》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《危险货物分类和品名编号》

《Classification and code of dangerous Goods》

《消费产品安全法》

《Consumer Product Safety Act》(CPSA)

《联邦环境污染控制法》

《Federal Environmental Pollution Control Act》 (FEPCA)

《资源保护及恢复法案》

《Resource Conservation and Recovery Act》(RCRA)





Page 11 / 11 Pages

Report No.: TSZ25C6062A08-01

《国际危险货物道路运输欧洲协定》

《European Agreement concerning the International Carriage of Dangerous》

《国际危险货物铁路运输欧洲协定》

《Regulations concerning the International Carriage of Dangerous》

根据所有联邦、州和地方法律。

In according with all Federal, State and local laws.

第十六部分-其它信息

Section 16- Other Information

上面的信息被认为是准确代表了目前最好的信息提供给我们。然而,本文没有对商品性能保证或任何其他保证,包括明示或暗示,对这类信息的使用我们不承担责任。用户应作出自己的调查,以确定是否适合其特定用途的信息。虽然在此处所包含的数据的准备已经采取了合理的预防措施,这是仅为你提供的信息、考虑和调查。这个化学品安全技术说明书为本产品提供了安全操作指南和使用指南,它并不能对所有可能发生的情况提供建议,因此,您特殊使用该产品应先进行评估,以确定是否需要额外的预防措施。

The information above is believed to be accurate and represents the best information currently available to us. However, this document makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

-- End of Report ---- 报告结束 --

