

ZCAT2132-1130-BK



<b>Applications</b>	Commercial Grade
<b>Product Type</b>	Band fixed type
<b>Applicable Cable Size</b>	Φ11mm Max.
<b>Series</b>	ZCAT
<b>Status</b>	Production
<b>Brand</b>	TDK



Size	
A	36.00mm ±1.00mm
B	32.00mm ±1.00mm
C	11.00mm ±1.00mm
D	20.50mm ±1.00mm
E	

Electrical Characteristics	
Impedance (Min.) / Ω	40 (10 to 100MHz)
	80 (100 to 500MHz)


Other	
Operating Temp. Range	-40 to 85°C
AEC-Q200	NO
Case Color	Black
Package Quantity	480pcs
Weight	21.6g

! Images are for reference only and show exemplary products.  
! This PDF document was created based on the data listed on the TDK Corporation website.  
! All specifications are subject to change without notice.

ZCAT2132-1130-BK



Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.  
! This PDF document was created based on the data listed on the TDK Corporation website.  
! All specifications are subject to change without notice.

ZCAT2132-1130-BK



## Associated Images



! Images are for reference only and show exemplary products.  
! This PDF document was created based on the data listed on the TDK Corporation website.  
! All specifications are subject to change without notice.